



Permit No:
SPRMH240032

MECHANICAL

Steamboat Springs, CO

Job Address	3367 APRES SKI WAY	ISSUED 10 Jan 2024
Owner MARNO, ANN W. P O BOX 772324 STEAMBOAT SPRINGS, CO 80477-2324		
Applicant ALDRICH BUILT PO BOX 882943 STEAMBOAT SPRINGS, CO 80488 (970) 819-2475		
Contractor ALDRICH BUILT PO BOX 882943 STEAMBOAT SPRINGS, CO 80488 (970) 819-2475		
Legal Description of Property LOT 18 MOUNT WERNER MEADOWS AMENDED SUBD		Description of Work We are creating a Fire Separation between a lower level SDU and Upper level main dwelling unit. This consists of inline mechanical fire dampers placed at all ducts in the lower level.

Parcel #	Type of Construction	# Of Units	Stories
142100018	Alteration		
Permit #	Permit Types	Mechanical	
SPRMH240032			

Building Components:

Quantity	Units	Description	Unit Cost	Subtotal Cost
1	QTY	Forced Air System	\$0.00	\$0.00

Note: This Permit has been issued under the conditions that the Applicant and Owner shall conform to all adopted Local, State, and Federal regulations and the Approved Record Sets drawings. Permit is subject to being revoked at any time if violation of any provisions of said laws and ordinances occur. Applicant and Owner shall be responsible to call for all required inspections set forth in the provisions, regulations, and laws, and at minimum are required to call for progress inspections a minimum of once every 180-days to avoid permit suspension or revocation. The Applicant and Owner shall be responsible to complete all work and required inspections prior to the expiration date of Permit.

Todd Carr
Building Official
Steamboat Springs, CO

SIGNED: _____