



LEGEND

- DI DRAIN INLET
- HP HIGH POINT
- TS TOP OF STAIR
- BS BOTTOM OF STAIR
- TW TOP OF WALL
- BW BOTTOM OF WALL
- TR TOP OF RAMP
- BR BOTTOM OF RAMP
- - - - - EXISTING CONTOUR
- PROPOSED CONTOUR

GRADING NOTES

1. MAXIMUM SLOPE 3:1, MINIMUM SLOPE 2% IN LANDSCAPE AREAS UNLESS OTHERWISE NOTED.
2. FINAL GRADING TO BE FIELD REVIEWED AND APPROVED BY LANDSCAPE ARCHITECT PRIOR TO PLACING TOPSOIL, SEEDING OR PLANTING.
3. PROVIDE SMOOTH, CONTINUOUS TRANSITIONS BETWEEN SLOPES UNLESS OTHERWISE NOTED OR INDICATED IN THE DRAWINGS.
4. PROVIDE 2% CROSS SLOPE ON ALL WALKS UNLESS OTHERWISE NOTED.
5. ALL FINISHED GRADES ARE TO MEET AND BLEND SMOOTHLY WITH EXISTING GRADES AT THE PROJECT LIMIT OF WORK.



CONFLUENCE
 3001 BRIGHTON BLVD., SUITE 2898
 DENVER, CO 80216
 PH: (303) 433-7100
 www.thinkconfluence.com



THE STOCKMAN
1965 SKI TIME SQUARE
STEAMBOAT SPRINGS, CO 80487

REVISIONS:

NO	DATE	DESCRIPTION

PROJECT NUMBER:
123134.00
 DATE:
02/26/2026
 ISSUED FOR:
GRADING & FILL PERMIT
 SHEET TITLE:
GRADING PLAN

SHEET NUMBER
L.201

