



LEVEL 00								
OCCUPANCY TOTALS		'A'		'B'	'S'			
			0	209	9	37		
FIXTURE REQUIREMENTS		REQUIRED 'A'		REQUIRED 'B'	REQUIRED 'S'		TOTAL REQUIRED	PROVIDED
WATER CLOSETS	MEN	0/125 =	0	2 + (54.5/50) = 3.09	18.5/100 =	.185	3.275	10.5
	WOMEN	0/65 =	0	2 + (54.5/50) = 3.09	18.5/100 =	.185	3.275	10.5
LAVATORIES	MEN	0/200 =	0	2 + (29/80) = 2.362 5	i 18.5/100 =	.185	2.5475	7.5
	WOMEN	0/200 =	0	2 + (29/80) = 2.362 5	i 18.5/100 =	.185	2.5475	7.5
DRINKING FOUNTAINS		0/500 =	0	209/ 100 = 2.09	37/1,000 =	.037	2.127	4
SERVICE SINK							1	1

*UNISEX RESTROOM WATER CLOSET AND LAVATORY COUNTS HAVE BEEN APPLIED AS .5 PER EACH SEX.



Gensler

Denver, CO 80202 **United States**

1225 17th Street

Suite 150

80477

Tel 970.871.9494

DESIGNWORKSHOP

141 9th Street 1390 Lawrence Street PO Box 774943 Suite 100 Steamboat Springs, CO Denver, CO 80204 Tel 303.623.5186

MARTIN/MARTIN CONSULTING ENGINEERS

12499 West Colfax Ave. Lakewood, CO 80215 United States Tel 303.431.6100

14143 Denver West Pkwy Suite 300 Golden, CO United States Tel 303.421.6655

Tel 303.595.8585

Fax 303.825.6823

 ∆ Date Description 2021.05.19 BP3: PROMENADE - ISSUE FOR BID AND

1 2021.07.02 BP3: PROMENADE - BULLETIN 03 -PERMIT RESPONSE

Seal / Signature



SSRC | BASE AREA

IMPROVEMENTS Project Number 003.7835.000

Description

EGRESS & OCCUPANCY PLAN -LEVEL 00

As indicated

1A-G3.100