

SITE KEYNOTES:

		DETAIL / SHEET	RELATED DETAILS	SPEC. SECTION
7.0	Lighting			
7.2	Double-Headed Pedestrian Light (F2)	Ref Electric		Ref Electric
7.4	Catenary Down Light (F4)	Ref Electric		Ref Electric
7.6	Art and Brand Wall Internal Cabinet Lights (F6)	Ref Electric		Ref Electric
7.9	Catenary Attached Holiday Lights (F9)	Ref Electric		Ref Electric
7.10	Round Bollard (F10)	Ref Electric		Ref Electric

SITE LIGHTING REFERENCE NOTES

- 1 Refer to L0-03 - General Information Sheet for fixture list and lighting schedule (TYP).
- 2 Reference Electrical Drawings for stair, escalator, and escalator canopy lighting, controls, power distribution, receptacle locations, and emergency lighting (TYP).
- 3 Reference Structural Engineering drawings for catenary support information including pole and building anchors (TYP).
- 4 Catenary poles are located between Art Wall and hotel wall. Contractor to allow for access to pole. See structural engineering drawings for details.
- 5 Catenary pole to be located over and fastened to existing foundation structure. Contractor to verify exact locations with structural engineer. See mounting details in structural engineering drawings.

FROM GENERAL INFORMATION SHEET:

F6	FIXTURE: LINEAR RGBW LED "GRAZER" TYPE FIXTURE WITH 20 DEGREE x 80 DEGREE BEAM SPREAD, ADJUSTABLE MOUNT, AND REMOTE POWER SOURCE, DIMMABLE, WET LISTED.	LUMASCAPE	LS9010 - 05D 4BW 63 NH 3 A S 13 DB 002	RGBW WITH ROYAL BLUE WITH 1,100 LUMEN OUTPUT AND 7 W/FT	ART AND BRAND WALL CABINET INTERIOR	(1) FIXTURE PER CABINET SEGMENT, MOUNTED AT BOTTOM OF INTERIOR CABINET SPACE, APPROXIMATELY 4 INCHES FROM BACKER WALL. DATA INJECTORS, POWER SUPPLIES, AND LEADER CABLES AS REQUIRED. DMX CONTROLLER FOR BOTH THE ART WALL AND BRAND WALL.	
	DATA INJECTOR		LS6550	N/A		INQUIRE WITH RENEE IF 1 FT VS 2 FT CABLE BETWEEN FIXTURES IS REQUIRED (WILL SPARE CABLE BE VISIBLE?)	
	POWER SUPPLY		LSLED600W - 48V 09				
	LEADER CABLE		LS6426 - PS 050				
	DMX CONTROLLER		LS6950 - B				



NOTE: Refer to General Information Sheet L0-04 for
General and Series Specific Notes, Legends,
Abbreviations, Lists, Schedules, and Mockup details.



2305 Mount Werner Circle
Steamboat Springs, CO 80487

Gensler

1225 17th Street
Suite 150
Denver, CO 80202
United States

Tel 303.595.8585
Fax 303.625.6823



141 9th Street
PO Box 774943
Steamboat Springs, CO
80477
Tel 970.871.9494

DESIGNWORKSHOP

1390 Lawrence Street
Suite 100
Denver, CO 80204
Tel 303.623.5186



12499 West Colfax Ave.
Lakewood, CO 80215
United States
Tel 303.431.6100



14143 Denver West Pkwy
Suite 300
Golden, CO
United States
Tel 303.421.6655

Date	Description
- 2021.05.19	BP3: GOLDWALK - ISSUE FOR BID AND PERMIT
1 2021.06.25	BP3: GOLDWALK - BULLETIN 02
2 2021.07.01	BP3: GOLDWALK - BULLETIN 03 - PERMIT RESPONSES
3 2021.08.24	DEVELOPMENT PLAN MINOR MODIFICATION
4 2021.10.01	BP3: GOLDWALK - RF-097
5 2021.10.13	DEVELOPMENT PLAN MAJOR MODIFICATION
6 2021.11.02	SIGN PERMIT

Seal / Signature

NOT FOR
CONSTRUCTION

Project Name

BP3 GOLDWALK PERMIT
AND CONSTRUCTION

Project Number

003.7835.000

DW Project Number

6466

Description

BP3: GOLDWALK - ISSUE FOR BID
AND PERMIT

SITE
LIGHTING
PLAN

1B-L6-01