



STEAMBOAT BASECAMP - DEVELOPMENT PLAN SUBMISSION

1901 CURVE PLAZA
STEAMBOAT SPRINGS, COLORADO 80487

VICINITY MAP



PROJECT TEAM

OWNER
MAY RIEGLER PROPERTIES
2201 WISCONSIN AVENUE NW SUITE 200
WASHINGTON, DC 20007

PO BOX 881330
STEAMBOAT SPRINGS, CO 80488

ARCHITECT
KASA
3318 N. COLUMBUS ST.
ARLINGTON, VA 22207

CIVIL ENGINEER

LANDMARK ENGINEERS & SURVEYORS
141 9TH STREET
PO BOX 774943
STEAMBOAT SPRINGS, CO 80477

PROJECT SUMMARY TABLE

GROSS FLOOR AREA:	64,073 GSF
NET FLOOR AREA:	52,142 NSF
UNIT SIZE:	616 SF AVERAGE
NUMBER OF UNITS:	75
ZONING:	CS
FRONTAGE:	CURVE CT: 263' / SHIELD DR: 350' / ELK RIVER RD: 380' / HWY 40: 377'

USE BREAKDOWN	DESCRIPTION	SQUARE FOOTAGE	# OF UNITS
PRINCIPAL USE	RESIDENTIAL	55,934 SF	75
ACCESSORY USES	COMMERCIAL	8,139 SF	-

STANDARDS	ZONE DISTRICT REQMTS	PROPOSED	VARIANCE? (Y/N)
LOT AREA	NO MAX/NO MIN	2.64 ACRES	N
LOT COVERAGE	NO MAX/NO MIN	19.7%	N
OPEN SPACE	15% MIN	52.67%	N
FLOOR AREA RATIO	NO MAX	0.58 FAR	N
OVERALL BLDG HT	63' MAX	53'-3"	N
AVERAGE PLATE HT	N/A		
FRONTAGE AREA HT	26' MIN	27'-7" (EXIST) / 51'-9" (NEW)	N
FRONT SETBACK	5 FT MIN	COMPLIES	N
SIDE SETBACK	7.5 FT MIN	COMPLIES	N
UPPER STORY SETBACK	OVER 45' OR 3 STORIES	VARIES	Y
REAR SETBACK	7.5 FT MIN	COMPLIES	N
SECOND STORY INTENSITY	50% MINIMUM	NEW CONST: 100%	N
PARKING	128 SPACES (SEE NARRATIVE)	128 SPACES	N
SNOW STORAGE	29,301 SF	32,478 SF	N

DRAWING LIST	
G 1.0	COVER SHEET
C.003	EXISTING CONDITIONS & SITE REMOVAL EXHIBIT
C.100	SITE PLAN
C.200	UTILITY PLAN
C.210	WATER MAIN PLAN - OVERALL
C.211	WATER MAIN PLAN & PROFILE
C.212	WATER MAIN PLAN & PROFILE
C.213	WATER MAIN PLAN & PROFILE
C.214	WATER MAIN PLAN & PROFILE
C.221	SANITARY SEWER PLAN & PROFILE
C.301	DETAILED GRADING PLAN - OFFSITE
C.302	DETAILED GRADING PLAN - ONSITE
C.310	STORM SEWER PLAN - OVERALL
C.311	STORM SEWER PLAN & PROFILE
C.400	MATERIALS, SIGNAGE, & STRIPING PLAN
C.401	MATERIALS, SIGNAGE, & STRIPING PLAN
C.410	ROADWAY PLAN & PROFILE
C.700	EASEMENT EXHIBIT
A 1.1	EXISTING GROUND LEVEL PLAN
A 1.2	EXISTING ROOF PLAN
A 1.3	DEMOLITION PLAN
A 2.1	GROUND LEVEL PLAN
A 2.2	TYPICAL FLOOR PLAN
A 2.3	FIFTH FLOOR PLAN
A 2.4	ROOF PLAN
A 2.5	ENLARGED UNIT PLANS
A 3.01	EXISTING SOUTH AND WEST ELEVATIONS
A 3.02	EXISTING NORTH AND EAST ELEVATIONS
A 3.11	PROPOSED SOUTH AND WEST ELEVATIONS
A 3.12	PROPOSED NORTH AND EAST ELEVATIONS
A 3.2	BUILDING SECTIONS
A 4.1	PROPOSED PROJECT PERSPECTIVE RENDERING
A 4.2	PROPOSED PROJECT PERSPECTIVE RENDERING
A 4.3	PROPOSED PROJECT PERSPECTIVE RENDERING
A 4.4	PROPOSED PROJECT PERSPECTIVE RENDERING
A 4.5	PROPOSED PROJECT PERSPECTIVE RENDERING
A 5.0	LIGHTING PLAN
A 5.1	LIGHTING SPECIFICATIONS
L 1	LANDSCAPE PLAN
MEP 1	PHOTOMETRIC SITE PLAN
MEP 2	PHOTOMETRIC SCHEDULES AND DETAILS

APPROVAL STAMPS:

K. Plan Set

No.	Date	Description
5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/8/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal #1

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A

KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGO DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

Steamboat Basecamp

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

COVER SHEET

SEAL	DATE: 03/27/20
	DRAWN BY:
	CHECKED BY:
	PROJECT NO:

DRAWING NO:

G 1.0



NOTES:

1. ALL REFERENCES HEREON TO BOOKS, PAGES, FILES, RECEPTION NUMBERS AND FILE NUMBERS ARE TO PUBLIC DOCUMENTS FILED IN THE RECORDS OF ROUTT COUNTY, COLORADO.
2. EASEMENTS AND PUBLIC DOCUMENTS SHOWN OR NOTED HEREON WERE EXAMINED AS TO LOCATION AND PURPOSE AND WERE NOT EXAMINED AS TO RESERVATIONS, EXCEPTIONS, CONDITIONS, OBLIGATIONS, TERMS, OR AS TO THE RIGHT TO GRANT THE SAME.
3. UTILITIES ARE SHOWN PER APPARENT SURFACE EVIDENCE TOGETHER WITH RECORD INFORMATION. IF MORE ACCURATE LOCATIONS OF UNDERGROUND UTILITIES ARE REQUIRED, THE UTILITY WILL HAVE TO BE VERIFIED BY FIELD POT-HOLING. LANDMARK CONSULTANTS, INC. AND THE SURVEYOR OF RECORDS ARE NOT RESPONSIBLE FOR THE LOCATION OF OR THE FAILURE TO NOTE THE LOCATION OF NON-VISIBLE UTILITIES.
4. ANY PERSON WHO KNOWINGLY REMOVES, ALTERS OR DEFACES ANY PUBLIC LAND SURVEY MONUMENT OR LAND MONUMENT OR ACCESSORY, COMMITS A CLASS TWO (2) MISDEMEANOR PURSUANT TO STATE STATUTE 18-65-808, C.R.S.
5. THIS SITE CONTAINS A CALCULATED AREA OF 4.31 ACRES.
6. NO PORTION OF THE SUBJECT PROPERTY IS LOCATED WITHIN SPECIAL FLOOD HAZARD AREAS. AS DETERMINED BY GRAPHIC INTERPRETATION OF THE F.E.M.A FLOOD INSURANCE RATE MAP NUMBERS 081070878D & 0810720713D, WITH AN EFFECTIVE DATE OF FEBRUARY 4, 2005.
7. THE MEASURED DISTANCES SHOWN HEREON ARE IN U.S. SURVEY FEET.
8. CONTRACTOR IS ENCOURAGED TO PERFORM DEMOLITION IN A MANNER THAT MAXIMIZES SALVAGE, RE-USE, AND RECYCLING OF MATERIALS. THIS INCLUDES PROPERLY DISPOSING OF WASTE, INCLUDING IN PARTICULAR, DEMOLISHED CONCRETE, ASPHALT, AND BASE COURSE THAT MAY BE RECYCLED IF POSSIBLE.
9. LIMITS OF STREET CUT ARE APPROXIMATE. FINAL LIMITS ARE TO BE DETERMINED IN THE FIELD. ALL REPAIRS TO BE IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS OR THE AHI/ROUTT COUNTY IF WITHIN CR 42 ROW AND CDOT IF WITHIN THE US HWY 65 ROW.
10. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING AND CONFIRMING DEMOLITION, MATERIAL REPLACEMENT, AND DISPOSAL OF ALL FACILITIES AND MATERIALS.
11. DEMOLITION INDICATED HEREON IS FOR CONVENIENCE ONLY. ALL LIMITS OF DEMOLITION ARE TO BE DETERMINED BY CONTRACTOR AS NECESSARY TO PERFORM WORK IN A SAFE AND EFFICIENT MANNER.
12. SOME OFF-SITE AND ADJACENT PROPERTY INFORMATION WAS DIGITIZED FROM AERIAL IMAGERY. DISCREPANCIES MAY EXIST.

PROPERTY DESCRIPTION:



Know what's below.
Call before you dig.

CALL 2 BUSINESS DAYS IN ADVANCE BEFORE YOU
DIG, GRADE, OR EXCAVATE FOR THE MARKING OF
UNDERGROUND MEMBER UTILITIES.

APPROVAL STAMPS:

[illegible]

No.	Date	Description
SUBMISSIONS & REVISIONS		

OWNER

MAY REIGLER PROPERTIES

2201 WISCONSIN AVE NW
SUITE 200
WASHINGTON DC 20007

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
 3318 N. Columbus Street
 Arlington, VA 22207
 T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

STEAMBOAT ENGINEERING

AND DESIGN, INC
2740 ACRE LANE, STE. E
STEAMBOAT SPRINGS, CO 80487

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING

1717 15TH STREET
BOULDER, CO 80302

CIVIL ENGINEER

LANDMARK ENGINEERING

141 9TH STREET
PO BOX 774943
STEAMBOAT SPRINGS, CO 80477

LANDSCAPE ARCHITECT

PROJECT LOCATION

STEAMBOAT BASECAMP

1901 CURVE PLAZA
STEAMBOAT SPRINGS, CO 80487

DRAWING TITLE

EXISTING CONDITIONS & SITE REMOVAL EXHIBIT

SEAL	DATE: 6/18/21
	DRAWN BY: PN
	CHECKED BY: JG
	PROJECT NO: 2387-004

DRAWING NO:

C.003

COPYRIGHT 2019



11/12/2021 2:08:43 PM



LOT 2C
REPLAT OF LOT
2, BLOCK 1,
CURVE
SUBDIVISION

REPLAT OF LOTS
2D AND 2E OF THE
REPLAT OF LOT 2
BLOCK 1, CURVE
SUBDIVISION



LOT 1 EARL DEAN
SMITH FAMILY TRUST
SUBDIVISION
RECEPTION NO. 453250
FILE NO. 12259

LOT 1, SUNLIGHT
COMMERCIAL CENTER
FILE NO. 14161



PROPERTY BOUNDARY

EASEMENT

CENTERLINE

BUILDING

ROOF LINE/OVERHANG

ASPHALT

CONCRETE

EXISTING SANITARY SEWER W/ MH

EXISTING WATER

GAS

CABLE

CABLE PEDESTAL

FIBER OPTIC

TELEPHONE

TELEPHONE PEDESTAL AND MANHOLE/VAULT

ELECTRIC

ELECTRIC PED. JUNCTION BOX AND METER

LIGHT POLE AND LIGHT POLE W/ MAST

UTILITY POLE AND GUY WIRE

DITCH/SWALE

EXISTING CULVERT W/ FES

PROPOSED CULVERT W/ FES

CONIFEROUS AND DECIDUOUS TREE

NOTES:

1. ALL REFERENCES HEREON TO BOOKS, PAGES, FILES, RECEPTION NUMBERS AND FILE NUMBERS ARE TO PUBLIC DOCUMENTS FILED IN THE RECORDS OF ROUTT COUNTY, COLORADO.
 2. EASEMENTS AND PUBLIC DOCUMENTS SHOWN OR NOTED HEREON ARE ASSUMED TO BE LOCATED AND WERE NOT EXAMINED AS TO RESERVATIONS, RESTRICTIONS, CONDITIONS, OBLIGATIONS, TERMS, OR AS TO THE RIGHT TO GRANT THE SAME.
 3. UTILITIES ARE SHOWN PER APPARENT SURFACE EVIDENCE TOGETHER WITH RECORD INFORMATION. IF MORE ACCURATE LOCATIONS OF UNDERGROUND UTILITIES ARE REQUIRED, THE UTILITY WILL HAVE TO BE VERIFIED BY FIELD POT-HOLING. LANDMARK CONSULTANTS, INC. AND THE SURVEYOR OF RECORD SHALL NOT BE LIABLE FOR THE LOCATION OF OR THE FAILURE TO NOTE THE LOCATION OF NON-VISIBLE UTILITIES.
 4. ANY PERSON WHO KNOWINGLY REMOVES, ALTERS OR DEFACES ANY PUBLIC LAND SURVEY MONUMENT OR LAND MONUMENT OR ACCESSORY, COMMITS A CLASS TWO (2) MIDDLEMANOR PURSUANT TO STATE STATUTE 18-6-208, C.R.S.
 5. THIS SITE CONTAINS A CALCULATED AREA OF 4.31 ACRES.
 6. NO PORTION OF THE SUBJECT PROPERTY IS LOCATED WITHIN SPECIAL FLOOD HAZARD AREAS, AS DETERMINED BY GRAPHIC INTERPRETATION OF THE FLOOD HAZARD INSURANCE RATE MAP NUMBERS 081070876D & 081070713D, WITH AN EFFECTIVE DATE OF FEBRUARY 4, 2005.
 7. THE MEASURED DISTANCES SHOWN HEREON ARE IN U.S. SURVEY FEET.
 8. THE PRESENTED GEOMETRY OF THE RELOCATED TRANSIT STOP ACCOMMODATES ASHTO CITY-BUS PER 2011 STANDARDS.
 9. ALL WORK WITHIN IN THE CITY OF STEAMBOAT SPRINGS RIGHT-OF-WAY SHALL BE SUBJECT TO PUBLIC IMPROVEMENTS CRITERIA.
- PROPERTY DESCRIPTION:
10. LOT 1, WORLDWIDE SUBDIVISION, AS RECORDED AT FILE NO. 13807 IN THE CITY OF STEAMBOAT SPRINGS, ROUTT COUNTY, COLORADO.

PROPERTY DESCRIPTION:

PARKING TABLE	
SPACES REQ'D	SPACES PROVIDED
128 (5 ADA ACCESSIBLE)	128 (5 ADA ACCESSIBLE)

APPROVAL STAMPS:

[illegible]

SUBMISSIONS & REVISIONS

OWNER

MAY REIGLER PROPERTIES

2201 WISCONSIN AVE NW
SUITE 200
WASHINGTON DC 20007

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
 3318 N. Columbus Street
 Arlington, VA 22207
 T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

**STEAMBOAT ENGINEERING
AND DESIGN, INC**

2740 ACRE LANE, STE. E
STEAMBOAT SPRINGS, CO 80487

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING

1717 15TH STREET
BOULDER, CO 80302

CIVIL ENGINEER

LANDMARK ENGINEERING

141 9TH STREET
PO BOX 774943
STEAMBOAT SPRINGS, CO 80477

LANDSCAPE ARCHITECT

PROJECT LOCATION

STEAMBOAT BASECAMP

1901 CURVE PLAZA
STEAMBOAT SPRINGS, CO 80487

DRAWING TITLE

SITE PLAN

SEAL

DATE:

6/18/2

DRAW

PN

CHEC	
------	--

EG

PROJE

DRAWING NO:

C.100

COPYRIGHT 2019

1/12/2021 2:08:43 PM

11/2/2021 2:08:43 PM



LEGEND:

PROPOSED SANITARY SEWER W/ MH & C.O.	
EXISTING SANITARY SEWER W/ MH & C.O.	
PROPOSED WATER	
PROPOSED GV, FH & CS	
EXISTING WATER	

NOTES:

1. THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
2. EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED ACCORDING TO THE BEST INFORMATION MADE AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
3. ALL SEWER CONSTRUCTION SHALL BE PER THE CITY OF STEAMBOAT SPRINGS STANDARD SPECIFICATIONS, LATEST EDITION.
4. MAINTAIN 10' HORIZONTAL AND 18" VERTICAL MINIMUM SEPARATION BETWEEN ALL SANITARY SEWER MAINS, WATER MAINS & SERVICES.
5. MANHOLES LOCATED OUTSIDE OF THE ROADWAY SHALL PROTRUDE 1" ABOVE EXISTING GRADE TO REDUCE INFILTRATION. GRADE SURFACE TO DRAIN AROUND/AWAY FROM MANHOLE RIMS.
6. ALL MANHOLES LOCATED IN THE ROADWAY SHALL HAVE RIM ELEVATIONS ADJUSTED TO 1/2" BELOW FINISHED GRADE. IF NECESSARY, CONE SECTIONS SHALL BE ROTATED TO PREVENT LIDS BEING LOCATED WITHIN VEHICLE OR BICYCLE WHEEL PATHS.
7. SEWER SERVICE SHALL HAVE A MINIMUM OF 4-FT OF COVER.
8. WATER SERVICE SHALL HAVE A MINIMUM OF 7-FT OF COVER.
9. ALL WATER PIPE SHALL BE INSTALLED WITH A #10 SOLID COPPER WIRE COATED WITH 45 MIL POLYETHYLENE FOR LOCATING PURPOSES. "GLENN TEST STATIONS" BY VALVCO, INC. TRACER WIRE TEST STATIONS SHALL BE INSTALLED ADJACENT TO ALL FIRE HYDRANTS. ADDITIONAL LOCATIONS MAY BE REQUIRED.
10. ALL MATERIALS USED FOR BACKFILL SHALL BE FREE FROM REFUSE, ORGANIC MATERIAL, CORBLES, BOULDERS, LARGE ROCKS OR STONES OR FROZEN SOILS GREATER THAN 6-INCHES IN DIAMETER.
11. ALL TRENCHES SHALL BE COMPACTED TO 95% AS DETERMINED BY ASTM D698 (STANDARD PROCTOR) OR AS SPECIFIED BY GEOTECHNICAL ENGINEER.

PROPOSED WATER AND SEWER MAINS CLARIFICATION:

THE PROPOSED WATER AND SEWER MAINS ARE NOT REQUIRED FOR SERVING THE NEW BASECAMP PROJECT. THE APPLICANT REQUESTS THAT THE INSTALLATION OF THE WATER AND SEWER MAINS TO BE INSTALLED, TESTED AND ACCEPTED PRIOR TO CERTIFICATE OF OCCUPANCY VS. BUILDING PERMIT.


THE EXISTING WATER AND SEWER SERVICES ARE TO REMAIN IN SERVICE FOR THE BUILDING AND A NEW SEWER SERVICE IS PROPOSED FOR THE NEW CONSTRUCTION REQUIREMENTS.

THE PROPOSED WATER AND SEWER MAINS ARE SHOWN AS PROPOSED FOR FUTURE DEVELOPMENT CONSIDERATIONS AND ARE TO BE INSTALLED AS PART OF THE ROAD CONSTRUCTION IN ORDER TO AVOID FUTURE DISRUPTION TO THE ACCESS/PARKING.



APPROVAL STAMPS:

No.	Date	Description
SUBMISSIONS & REVISIONS		
OWNER		
MAY REIGLER PROPERTIES 2201 WISCONSIN AVE NW SUITE 200 WASHINGTON DC 20007		
ARCHITECT		
K A S A KEVIN & ASAKO SPERRY ARCHITECTURE 3318 N. Columbus Street Arlington, VA 22207 T.312.636.3248 / 312.636.4252 www.kasa-arch.com		
STRUCTURAL ENGINEER		
STEAMBOAT ENGINEERING AND DESIGN, INC 2740 ACRE LANE, STE. E STEAMBOAT SPRINGS, CO 80487		
M.E.P. & F.P. ENGINEERS		
BOULDER ENGINEERING 1717 15TH STREET BOULDER, CO 80302		
CIVIL ENGINEER		
LANDMARK ENGINEERING 141 9TH STREET PO BOX 174943 STEAMBOAT SPRINGS, CO 80477		
LANDSCAPE ARCHITECT		
GENERAL CONTRACTOR		
PROJECT LOCATION		
STEAMBOAT BASECAMP 1901 CURVE PLAZA STEAMBOAT SPRINGS, CO 80487		
DRAWING TITLE		
WATER MAIN PLAN - OVERALL		
SEAL	DATE: 6/18/21 DRAWN BY: PN CHECKED BY: EG PROJECT NO: 2387-004	
DRAWING NO: C.210		

COPYRIGHT 2019



WATER MAIN PLAN & PROFILE (STA 0+00 - 2+00)



LEGEND:

PROPOSED SANITARY SEWER W/ MH & C.O.
EXISTING SANITARY SEWER W/ MH & C.O.
PROPOSED WATER
PROPOSED GV, FH & CS
EXISTING WATER

- NOTES:**
- THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
 - EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED ACCORDING TO THE BEST INFORMATION MADE AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
 - ALL SEWER CONSTRUCTION SHALL BE PER THE CITY OF STEAMBOAT SPRINGS STANDARD SPECIFICATIONS, LATEST EDITION.
 - MAINTAIN 10' HORIZONTAL AND 18" VERTICAL MINIMUM SEPARATION BETWEEN ALL SANITARY SEWER MAINS, WATER MAINS & SERVICES.
 - MANHOLES LOCATED OUTSIDE OF THE ROADWAY SHALL PROTRUDE 1' ABOVE EXISTING GRADE TO REDUCE INFILTRATION. GRADE SURFACE TO DRAIN AROUND/AWAY FROM MANHOLE RIMS.
 - ALL MANHOLES LOCATED IN THE ROADWAY SHALL HAVE RIM ELEVATIONS ADJUSTED TO 1/2" BELOW FINISHED GRADE. IF NECESSARY, CONE SECTIONS SHALL BE ROTATED TO PREVENT LIDS BEING LOCATED WITHIN VEHICLE OR BICYCLE WHEEL PATHS.
 - SEWER SERVICE SHALL HAVE A MINIMUM OF 4-FT OF COVER.
 - WATER SERVICE SHALL HAVE A MINIMUM OF 7-FT OF COVER.
 - ALL WATER PIPE SHALL BE INSTALLED WITH A #10 SOLID COPPER WIRE COATED WITH 45 MIL POLYETHYLENE FOR LOCATING PURPOSES. "GLENN TEST STATIONS" BY VALVCO, INC TRACER WIRE TEST STATIONS SHALL BE INSTALLED ADJACENT TO ALL FIRE HYDRANTS. ADDITIONAL LOCATIONS MAY BE REQUIRED.
 - ALL MATERIALS USED FOR BACKFILL SHALL BE FREE FROM REFUSE, ORGANIC MATERIAL, CORBBLES, BOULDERS, LARGE ROCKS OR STONES OR FROZEN SOILS GREATER THAN 6-INCHES IN DIAMETER.
 - ALL TRENCHES SHALL BE COMPACTED TO 95% AS DETERMINED BY ASTM D698 (STANDARD PROCTOR) OR AS SPECIFIED BY GEOTECHNICAL ENGINEER.

PROPOSED WATER AND SEWER MAINS CLARIFICATION:

THE PROPOSED WATER AND SEWER MAINS ARE **NOT** REQUIRED FOR SERVING THE NEW BASECAMP PROJECT. THE APPLICANT REQUESTS THAT THE INSTALLATION OF THE WATER AND SEWER MAINS TO BE INSTALLED, TESTED AND ACCEPTED PRIOR TO CERTIFICATE OF OCCUPANCY VS. BUILDING PERMIT.


THE EXISTING WATER AND SEWER SERVICES ARE TO REMAIN IN SERVICE FOR THE BUILDING AND A NEW SEWER SERVICE IS PROPOSED FOR THE NEW CONSTRUCTION REQUIREMENTS.

THE PROPOSED WATER AND SEWER MAINS ARE SHOWN AS PROPOSED FOR FUTURE DEVELOPMENT CONSIDERATIONS AND ARE TO BE INSTALLED AS PART OF THE ROAD CONSTRUCTION IN ORDER TO AVOID FUTURE DISRUPTION TO THE ACCESS/PARKING.


APPROVAL STAMPS:

No.	Date	Description
SUBMISSIONS & REVISIONS		
OWNER		
MAY REIGLER PROPERTIES 2201 WISCONSIN AVE NW SUITE 200 WASHINGTON DC 20007		
ARCHITECT		
K A S A KEVIN & ASAKO SPERRY ARCHITECTURE 3318 N. Columbus Street Arlington, VA 22207 T.312.636.3248 / 312.636.4252 www.kasa-arch.com		
STRUCTURAL ENGINEER		
STEAMBOAT ENGINEERING AND DESIGN, INC 2740 ACRE LANE, STE. E STEAMBOAT SPRINGS, CO 80487		
M.E.P. & F.P. ENGINEERS		
BOULDER ENGINEERING 1717 15TH STREET BOULDER, CO 80302		
CIVIL ENGINEER		
LANDMARK ENGINEERING 141 9TH STREET PO BOX 174343 STEAMBOAT SPRINGS, CO 80477		
LANDSCAPE ARCHITECT		
GENERAL CONTRACTOR		
PROJECT LOCATION		
STEAMBOAT BASECAMP 1901 CURVE PLAZA STEAMBOAT SPRINGS, CO 80487		
DRAWING TITLE		
WATER MAIN PLAN & PROFILE		
SEAL	DATE: 6/18/21 DRAWN BY: PN CHECKED BY: EG PROJECT NO: 2387-004	
DRAWING NO: C.211		

1/12/2021 2:08:43 PM



WATER MAIN PLAN & PROFILE (STA 2+00 - 4+00)



LEGEND:

PROPOSED SANITARY SEWER W/ MH & C.O.
EXISTING SANITARY SEWER W/ MH & C.O.
PROPOSED WATER
PROPOSED GV, FH & CS
EXISTING WATER

NOTES:

- THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
- EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED ACCORDING TO THE BEST INFORMATION MADE AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
- ALL SEWER CONSTRUCTION SHALL BE PER THE CITY OF STEAMBOAT SPRINGS STANDARD SPECIFICATIONS, LATEST EDITION.
- MAINTAIN 10' HORIZONTAL AND 18" VERTICAL MINIMUM SEPARATION BETWEEN ALL SANITARY SEWER MAINS, WATER MAINS & SERVICES.
- MANHOLES LOCATED OUTSIDE OF THE ROADWAY SHALL PROTRUDE 1' ABOVE EXISTING GRADE TO REDUCE INFILTRATION. GRADE SURFACE TO DRAIN AROUND/AWAY FROM MANHOLE RIMS.
- ALL MANHOLES LOCATED IN THE ROADWAY SHALL HAVE RIM ELEVATIONS ADJUSTED TO 1/2" BELOW FINISHED GRADE. IF NECESSARY, CONE SECTIONS SHALL BE ROTATED TO PREVENT LIDS BEING LOCATED WITHIN VEHICLE OR BICYCLE WHEEL PATHS.
- SEWER SERVICE SHALL HAVE A MINIMUM OF 4-FT OF COVER.
- WATER SERVICE SHALL HAVE A MINIMUM OF 7-FT OF COVER.
- ALL WATER PIPE SHALL BE INSTALLED WITH A #10 SOLID COPPER WIRE COATED WITH 45 MIL POLYETHYLENE FOR LOCATING PURPOSES. "GLENN TEST STATIONS" BY VALCO, INC TRACER WIRE TEST STATIONS SHALL BE INSTALLED ADJACENT TO ALL FIRE HYDRANTS. ADDITIONAL LOCATIONS MAY BE REQUIRED.
- ALL MATERIALS USED FOR BACKFILL SHALL BE FREE FROM REFUSE, ORGANIC MATERIAL, CORBBLES, BOULDERS, LARGE ROCKS OR STONES OR FROZEN SOILS GREATER THAN 6-INCHES IN DIAMETER.
- ALL TRENCHES SHALL BE COMPACTED TO 95% AS DETERMINED BY ASTM D698 (STANDARD PROCTOR) OR AS SPECIFIED BY GEOTECHNICAL ENGINEER.

PROPOSED WATER AND SEWER MAINS CLARIFICATION:


THE PROPOSED WATER AND SEWER MAINS ARE NOT REQUIRED FOR SERVING THE NEW BASECAMP PROJECT. THE APPLICANT REQUESTS THAT THE INSTALLATION OF THE WATER AND SEWER MAINS TO BE INSTALLED, TESTED AND ACCEPTED PRIOR TO CERTIFICATE OF OCCUPANCY VS. BUILDING PERMIT.

THE EXISTING WATER AND SEWER SERVICES ARE TO REMAIN IN SERVICE FOR THE BUILDING AND A NEW SEWER SERVICE IS PROPOSED FOR THE NEW CONSTRUCTION REQUIREMENTS.



THE PROPOSED WATER AND SEWER MAINS ARE SHOWN AS PROPOSED FOR FUTURE DEVELOPMENT CONSIDERATIONS AND ARE TO BE INSTALLED AS PART OF THE ROAD CONSTRUCTION IN ORDER TO AVOID FUTURE DISRUPTION TO THE ACCESS/PARKING.

APPROVAL STAMPS:

No.	Date	Description
SUBMISSIONS & REVISIONS		
OWNER		
MAY REIGLER PROPERTIES 2201 WISCONSIN AVE NW SUITE 200 WASHINGTON DC 20007		
ARCHITECT		
KEVIN & ASAKO SPERRY ARCHITECTURE 3318 N. Columbus Street Arlington, VA 22207 T.312.636.3248 / 312.636.4252 www.kasa-arch.com		
STRUCTURAL ENGINEER		
STEAMBOAT ENGINEERING AND DESIGN, INC 2740 ACRE LANE, STE. E STEAMBOAT SPRINGS, CO 80487		
M.E.P. & F.P. ENGINEERS		
BOULDER ENGINEERING 1717 15TH STREET BOULDER, CO 80302		
CIVIL ENGINEER		
LANDMARK ENGINEERING 141 9TH STREET PO BOX 774343 STEAMBOAT SPRINGS, CO 80477		
LANDSCAPE ARCHITECT		
GENERAL CONTRACTOR		
PROJECT LOCATION		
STEAMBOAT BASECAMP 1901 CURVE PLAZA STEAMBOAT SPRINGS, CO 80487		
DRAWING TITLE		
WATER MAIN PLAN & PROFILE		
SEAL	DATE: 6/18/21 DRAWN BY: PN CHECKED BY: EG PROJECT NO: 2387-004	
DRAWING NO: C.212		



WATER MAIN PLAN & PROFILE (STA 4+00 - 6+00)



LEGEND:

PROPOSED SANITARY SEWER W/ MH & C.O.
EXISTING SANITARY SEWER W/ MH & C.O.
PROPOSED WATER
PROPOSED GV, FH & CS
EXISTING WATER

NOTES:

1. THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
2. EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED ACCORDING TO THE BEST INFORMATION MADE AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
3. ALL SEWER CONSTRUCTION SHALL BE PER THE CITY OF STEAMBOAT SPRINGS STANDARD SPECIFICATIONS, LATEST EDITION.
4. MAINTAIN 10' HORIZONTAL AND 18" VERTICAL MINIMUM SEPARATION BETWEEN ALL SANITARY SEWER MAINS, WATER MAINS & SERVICES.
5. MANHOLES LOCATED OUTSIDE OF THE ROADWAY SHALL PROTRUDE 1' ABOVE EXISTING GRADE TO REDUCE INFILTRATION. GRADE SURFACE TO DRAIN AROUND/AWAY FROM MANHOLE RIMS.
6. ALL MANHOLES LOCATED IN THE ROADWAY SHALL HAVE RIM ELEVATIONS ADJUSTED TO 1/2" BELOW FINISHED GRADE. IF NECESSARY, CONE SECTIONS SHALL BE ROTATED TO PREVENT LIDS BEING LOCATED WITHIN VEHICLE OR BICYCLE WHEEL PATHS.
7. SEWER SERVICE SHALL HAVE A MINIMUM OF 4-FT OF COVER.
8. WATER SERVICE SHALL HAVE A MINIMUM OF 7-FT OF COVER.
9. ALL WATER PIPE SHALL BE INSTALLED WITH A #10 SOLID COPPER WIRE COATED WITH 45 MIL POLYETHYLENE FOR LOCATING PURPOSES. "GLENN TEST STATIONS" BY VALVCO, INC TRACER WIRE TEST STATIONS SHALL BE INSTALLED ADJACENT TO ALL FIRE HYDRANTS. ADDITIONAL LOCATIONS MAY BE REQUIRED.
10. ALL MATERIALS USED FOR BACKFILL SHALL BE FREE FROM REFUSE, ORGANIC MATERIAL, CORBBLES, BOULDERS, LARGE ROCKS OR STONES OR FROZEN SOILS GREATER THAN 6-INCHES IN DIAMETER.
11. ALL TRENCHES SHALL BE COMPACTED TO 95% AS DETERMINED BY ASTM D698 (STANDARD PROCTOR) OR AS SPECIFIED BY GEOTECHNICAL ENGINEER.

PROPOSED WATER AND SEWER MAINS CLARIFICATION:

THE PROPOSED WATER AND SEWER MAINS ARE **NOT** REQUIRED FOR SERVING THE NEW BASECAMP PROJECT. THE APPLICANT REQUESTS THAT THE INSTALLATION OF THE WATER AND SEWER MAINS TO BE INSTALLED, TESTED AND ACCEPTED PRIOR TO CERTIFICATE OF OCCUPANCY VS. BUILDING PERMIT.


THE EXISTING WATER AND SEWER SERVICES ARE TO REMAIN IN SERVICE FOR THE BUILDING AND A NEW SEWER SERVICE IS PROPOSED FOR THE NEW CONSTRUCTION REQUIREMENTS.

THE PROPOSED WATER AND SEWER MAINS ARE SHOWN AS PROPOSED FOR FUTURE DEVELOPMENT CONSIDERATIONS AND ARE TO BE INSTALLED AS PART OF THE ROAD CONSTRUCTION IN ORDER TO AVOID FUTURE DISRUPTION TO THE ACCESS/PARKING.



APPROVAL STAMPS:

No.	Date	Description
SUBMISSIONS & REVISIONS		
OWNER		
MAY REIGLER PROPERTIES 2201 WISCONSIN AVE NW SUITE 200 WASHINGTON DC 20007		
ARCHITECT		
K A S A KEVIN & ASAKO SPERRY ARCHITECTURE 3318 N. Columbus Street Arlington, VA 22207 T.312.636.3248 / 312.636.4252 www.kasa-arch.com		
STRUCTURAL ENGINEER		
STEAMBOAT ENGINEERING AND DESIGN, INC 2740 ACRE LANE, STE. E STEAMBOAT SPRINGS, CO 80487		
M.E.P. & F.P. ENGINEERS		
BOULDER ENGINEERING 1717 15TH STREET BOULDER, CO 80302		
CIVIL ENGINEER		
LANDMARK ENGINEERING 141 9TH STREET PO BOX 174343 STEAMBOAT SPRINGS, CO 80477		
LANDSCAPE ARCHITECT		
GENERAL CONTRACTOR		
PROJECT LOCATION		
STEAMBOAT BASECAMP 1901 CURVE PLAZA STEAMBOAT SPRINGS, CO 80487		
DRAWING TITLE		
WATER MAIN PLAN & PROFILE		
SEAL	DATE: 6/18/21 DRAWN BY: PN CHECKED BY: EG PROJECT NO: 2387-004	
DRAWING NO: C.213		

1/12/2021 2:08:43 PM



WATER MAIN PLAN & PROFILE (STA 4+00 - 6+00)



LEGEND:

PROPOSED SANITARY SEWER W/ MH & C.O.
EXISTING SANITARY SEWER W/ MH & C.O.
PROPOSED WATER
PROPOSED GV, FH & CS
EXISTING WATER

NOTES:

- THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
- EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED ACCORDING TO THE BEST INFORMATION MADE AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
- ALL SEWER CONSTRUCTION SHALL BE PER THE CITY OF STEAMBOAT SPRINGS STANDARD SPECIFICATIONS, LATEST EDITION.
- MAINTAIN 10' HORIZONTAL AND 18" VERTICAL MINIMUM SEPARATION BETWEEN ALL SANITARY SEWER MAINS, WATER MAINS & SERVICES.
- MANHOLES LOCATED OUTSIDE OF THE ROADWAY SHALL PROTRUDE 1' ABOVE EXISTING GRADE TO REDUCE INFILTRATION. GRADE SURFACE TO DRAIN AROUND/AWAY FROM MANHOLE RIMS.
- ALL MANHOLES LOCATED IN THE ROADWAY SHALL HAVE RIM ELEVATIONS ADJUSTED TO 1/2" BELOW FINISHED GRADE. IF NECESSARY, CONE SECTIONS SHALL BE ROTATED TO PREVENT LIDS BEING LOCATED WITHIN VEHICLE OR BICYCLE WHEEL PATHS.
- SEWER SERVICE SHALL HAVE A MINIMUM OF 4-FT OF COVER.
- WATER SERVICE SHALL HAVE A MINIMUM OF 7-FT OF COVER.
- ALL WATER PIPE SHALL BE INSTALLED WITH A #10 SOLID COPPER WIRE COATED WITH 45 MIL POLYETHYLENE FOR LOCATING PURPOSES. "GLENN TEST STATIONS" BY VALVCO, INC TRACER WIRE TEST STATIONS SHALL BE INSTALLED ADJACENT TO ALL FIRE HYDRANTS. ADDITIONAL LOCATIONS MAY BE REQUIRED.
- ALL MATERIALS USED FOR BACKFILL SHALL BE FREE FROM REFUSE, ORGANIC MATERIAL, CORBLES, BOULDERS, LARGE ROCKS OR STONES OR FROZEN SOILS GREATER THAN 6-INCHES IN DIAMETER.
- ALL TRENCHES SHALL BE COMPACTED TO 95% AS DETERMINED BY ASTM D698 (STANDARD PROCTOR) OR AS SPECIFIED BY GEOTECHNICAL ENGINEER.

PROPOSED WATER AND SEWER MAINS CLARIFICATION:

THE PROPOSED WATER AND SEWER MAINS ARE NOT REQUIRED FOR SERVING THE NEW BASECAMP PROJECT. THE APPLICANT REQUESTS THAT THE INSTALLATION OF THE WATER AND SEWER MAINS TO BE INSTALLED, TESTED AND ACCEPTED PRIOR TO CERTIFICATE OF OCCUPANCY VS. BUILDING PERMIT.




THE EXISTING WATER AND SEWER SERVICES ARE TO REMAIN IN SERVICE FOR THE BUILDING AND A NEW SEWER SERVICE IS PROPOSED FOR THE NEW CONSTRUCTION REQUIREMENTS.

THE PROPOSED WATER AND SEWER MAINS ARE SHOWN AS PROPOSED FOR FUTURE DEVELOPMENT CONSIDERATIONS AND ARE TO BE INSTALLED AS PART OF THE ROAD CONSTRUCTION IN ORDER TO AVOID FUTURE DISRUPTION TO THE ACCESS/PARKING.

APPROVAL STAMPS:

No.	Date	Description
SUBMISSIONS & REVISIONS		
OWNER		
MAY REIGLER PROPERTIES 2201 WISCONSIN AVE NW SUITE 200 WASHINGTON DC 20007		
ARCHITECT		
K A S A KEVIN & ASAKO SPERRY ARCHITECTURE 3318 N. Columbus Street Arlington, VA 22207 T. 312.636.3248 / 312.636.4252 www.kasa-arch.com		
STRUCTURAL ENGINEER		
STEAMBOAT ENGINEERING AND DESIGN, INC 2740 ACRE LANE, STE. E STEAMBOAT SPRINGS, CO 80487		
M.E.P. & F.P. ENGINEERS		
BOULDER ENGINEERING 1717 15TH STREET BOULDER, CO 80302		
CIVIL ENGINEER		
LANDMARK ENGINEERING 141 9TH STREET PO BOX 174343 STEAMBOAT SPRINGS, CO 80477		
LANDSCAPE ARCHITECT		
GENERAL CONTRACTOR		
PROJECT LOCATION		
STEAMBOAT BASECAMP 1901 CURVE PLAZA STEAMBOAT SPRINGS, CO 80487		
DRAWING TITLE		
WATER MAIN PLAN & PROFILE		
SEAL	DATE: 6/18/21 DRAWN BY: PN CHECKED BY: EG PROJECT NO: 2387-004	
DRAWING NO:		C.214

COPYRIGHT 2019



LEGEND:

PROPOSED SANITARY SEWER W/ MH & C.O.

EXISTING SANITARY SEWER W/ MH & C.O.

PROPOSED WATER

PROPOSED GV, FH & CS

EXISTING WATER

NOTES:

1. THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
2. EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED ACCORDING TO THE BEST INFORMATION MADE AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
3. ALL SEWER CONSTRUCTION SHALL BE PER THE CITY OF STEAMBOAT SPRINGS STANDARD SPECIFICATIONS, LATEST EDITION.
4. MAINTAIN 10' HORIZONTAL AND 18" VERTICAL MINIMUM SEPARATION BETWEEN ALL SANITARY SEWER MAINS, WATER MAINS & SERVICES.
5. MANHOLES LOCATED OUTSIDE OF THE ROADWAY SHALL PROTRUDE 1' ABOVE EXISTING GRADE TO REDUCE INFILTRATION. GRADE SURFACE TO DRAIN AROUND/AWAY FROM MANHOLE RIMS.
6. ALL MANHOLES LOCATED IN THE ROADWAY SHALL HAVE RIM ELEVATIONS ADJUSTED TO 2" BELOW FINISHED GRADE. IF NECESSARY, CONE SECTIONS SHALL BE ROTATED TO PREVENT LIDS BEING LOCATED WITHIN VEHICLE OR BICYCLE WHEEL PATHS.
7. SEWER SERVICE SHALL HAVE A MINIMUM OF 4'-FT. OF COVER.
8. WATER SERVICE SHALL HAVE A MINIMUM OF 7'-FT OF COVER.
9. ALL WATER PIPE SHALL BE INSTALLED WITH A #10 SOLID COPPER WIRE COATED WITH 45 MIL POLYETHYLENE FOR PROTECTING PURSES. "GLENN TRENCHING" BY VALCO, INC TRACER WIRE TEST STATIONS SHALL BE INSTALLED ADJACENT TO ALL FIRE HYDRANTS. ADDITIONAL LOCATIONS MAY BE REQUIRED.
10. ALL MATERIALS USED FOR BACKFILL SHALL BE FREE FROM STONES OR ORGANIC MATERIAL. COBBLES, BOULDERS, LARGE ROCKS OR FUSED OR FROZEN SOLIDS GREATER THAN 6-INCHES IN DIAMETER.
11. ALL TRENCHES SHALL BE COMPACTED TO 95% AS DETERMINED BY ASTM D698 (STANDARD PROCTOR) OR AS SPECIFIED BY GEOTECHNICAL ENGINEER.

PROPOSED WATER AND SEWER MAINS CLARIFICATION:

THE PROPOSED WATER AND SEWER MAINS ARE **NOT** REQUIRED FOR SERVICING THE NEW BASECAMP PROJECT. THE APPLICANT REQUESTS THAT THE INSTALLATION OF THE WATER AND SEWER MAINS TO BE INSTALLED, TESTED AND ACCEPTED PRIOR TO CERTIFICATE OF OCCUPANCY VS. BUILDING PERMIT.

THE EXISTING WATER AND SEWER SERVICES ARE TO REMAIN IN SERVICE FOR THE BUILDING AND A NEW SEWER SERVICE IS PROPOSED FOR THE NEW CONSTRUCTION REQUIREMENTS.

THE PROPOSED WATER AND SEWER MAINS ARE SHOWN AS PROPOSED FOR FUTURE DEVELOPMENT CONSIDERATIONS AND ARE TO BE INSTALLED AS PART OF THE ROAD CONSTRUCTION IN ORDER TO AVOID FUTURE DISRUPTION TO THE ACCESS/PARKING.

APPROVAL STAMPS:

[illegible]

No.	Date	Description
SUBMISSIONS & REVISIONS		

OWNER

MAY REIGLER PROPERTIES
2201 WISCONSIN AVE NW
SUITE 200
WASHINGTON DC 20007

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
 3318 N. Columbus Street
 Arlington, VA 22207
 T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

**STEAMBOAT ENGINEERING
AND DESIGN, INC**
2740 ACRE LANE, STE. E
STEAMBOAT SPRINGS, CO 80487

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING
1717 15TH STREET
BOULDER, CO 80302

CIVIL ENGINEER

LANDMARK ENGINEERING
141 9TH STREET
PO BOX 774943
STEAMBOAT SPRINGS, CO 80477

LANDSCAPE ARCHITECT

GENERAL CONTRACTOR

PROJECT LOCATION

STEAMBOAT
BASECAMP

1901 CURVE PLAZA
STEAMBOAT SPRINGS, CO 80487

SANITARY SEWER
PLAN & PROFILE

SEAL

DATE:

6/18/21

DRAWN BY:

PN

CHECKED BY:

EG

PROJECT NO:

2387 004

DRAWING NO:

C.221

COPYRIGHT 2019

LOT 2C
REPLAT OF LOT
2, BLOCK 1,
CURVE
SUBDIVISION

CURVE PLAZA (PRIVATE)

ELK RIVER ROAD SOUTH (R.O.W. VARIES)

SHIELD DRIVE (R.O.W. VARIES)

SPLITTER ISLAND AREA OF DETAIL
SEE BELOW

PROPERTY BOUNDARY (TP)

BUS STOP AREA OF DETAIL
SEE BELOW

PORTION OF EX SIDEWALK
TO BE REMOVED

MATCH EXISTING

6668.04 EOA

6668.98 EOA

6667.80 EOA

6667.83 EOA

6667.70 FL

6667.45 EOC

6667.90 EOA

6668.01 EOA

6667.02 EOA

6668.01 EOA

6667.24 FL

6667.30 FL

6667.97 TBC

6668.03 EOA

6667.83 EOA

6667.54 EOA

6667.88 EOA

6667.91 EOA

6668.66 EOC

6668.68 FL

6668.67 EOC

6668.33 TBC

PR CONC. PATIO EXTENSION

6668.70 EOC

6668.61 EOC

6668.54 EOC

6668.57 EOC


AC/AC

-EX BUILDING TO BE REMODELED-
FFE = 6668.80
(APPROX. 22,120 SF)



MATCHLINE

SEE SHEET C-302

LOT 1
4.31 ACRES±
FILE NO. 13807



C.301



CALL 2 BUSINESS DAYS IN ADVANCE BEFORE YOU DIG, GRADE, OR EXCAVATE FOR THE MARKING OF UNDERGROUND MEMBER UTILITIES.



- 1.0 PAVING
 - 1.1 CONCRETE PAVING
 - 1.2 DUMPSITER PAD (ENCLOSURE BY OTHER, RE: ARCHITECTURAL PLANS)
 - 1.3 ASPHALT PAVING
 - 1.4 CONCRETE CURB & GUTTER
 - 1.4A CATCH CURB
 - 1.4B SPILL CURB
 - 1.4C VALLEY PAN
 - 1.4D THICKENED EDGE RIBBON CURB
 - 1.4E TAPERED CURB NOSE
 - 1.5 CURB RAMP
 - 1.6 DETECTABLE WARNING SURFACE
 - 1.7 PAVERS
 - 1.8 GRAVEL SURFACING

- ## 2.0 PAINTING / STRIPING
- 2.1 STOP BAR
 - 2.2 4-INCH WIDE SOLID WHITE (PARKING/FOG LINE)
 - 2.3 ADA PARKING SYMBOL
 - 2.4 ADA LOADING AISLE
 - 2.5 CROSSWALK STRIPING
 - 2.6 BIKE LANE SYMBOL
 - 2.7 SHARED LANE SYMBOL

- 3.0 SIGNAGE**
- 3.1 ADA PARKING SIGNAGE
 - 3.2 FIRELANE NO PARKING SIGN
 - 3.3 AS SHOWN ON PLANS
 - 3.4 STOP SIGN
 - 3.5 DO NOT ENTER SIGN
 - 3.6 YIELD SIGN

- LANDSCAPE** (RE: LANDSCAPE PLANS)
- 4.1 NATIVE SEED
4.2 LANDSCAPE BOULDER SEAT
4.3 FLAGSTONE PAVER
4.4 SYNTHETIC TURF (GREEN)
4.5 SYNTHETIC TURF (BROWN)
4.6 SPADE DUG EDGE

ASPHALT

PLAIN CONCRETE

PAVERS

GRAVEL

PROPOSED SIGN

NOTES:

1. THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK, BEFORE COMMENCING NEW CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR FOR ALL UNKNOWN UNDERGROUND UTILITIES.
2. ALL PROJECT DATA IS ON VERTICAL DATUM: NGVD 86. SEE NOTES SHEET FOR BENCHMARK REFERENCES.
3. ELEVATIONS FOR IMPROVEMENTS THAT ARE CONTROLLED BY ADJACENT EXISTING FACILITIES (SUCH AS PAVT GRUTERS ALONG EXISTING ASPHALT) MAY REQUIRE ADJUSTMENT BASED ON ACTUAL CONDITIONS. COORDINATE WITH THE CONTRACTOR TO ENSURE A CONSISTENT SECTION WITH SMOOTH TRANSITIONS WHERE NECESSARY.
4. SEE SOILS REPORT FOR PAVEMENT, SUBGRADE AND MATERIAL PERFORMANCE, DESIGN AND RECOMMENDATIONS.
5. ALL CURB SPOTS SHOWN ARE FLOWLINE ELEVATIONS, UNLESS NOTED OTHERWISE. ALL OTHER SPOTS ARE FINISHED GRADE ELEVATIONS.

EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED FOR INFORMATION ONLY. THE ENGINEER HAS NO LIABILITY AVAILABLE TO THE ENGINEER. THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THESE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
7. ALL WATER AND SEWER CONSTRUCTION SHALL BE PER CITY OF STEAMBOAT SPRINGS UTILITY STANDARD SPECIFICATIONS, LATEST EDITION, AS ADMINISTERED THROUGH THE STEAMBOAT II METROPOLITAN DISTRICT.
8. THE SCOPE REFLECTED ON THIS PLAN SHALL ONLY BE USED FOR ITEMS SPECIFIED AND DETAILED ON DRAWINGS PREPARED BY LANDMARK CONSULTANTS, INC. REFERENCES TO "BY OTHERS", "LANDSCAPE", "LANDSCAPE PLANS" AND SIMILAR NOTATIONS ARE EXCLUDED FROM THE PROJECT. CONTRACT LANDMARK CONSULTANTS, INC. AND THE DESIGN TEAM IF DISCREPANCIES ARE DISCOVERED.

APPROVAL STAMPS:

[illegible]

SUBMISSIONS & REVISIONS

OWNER

MAY REIGLER PROPERTIES

2201 WISCONSIN AVE NW
SUITE 200
WASHINGTON DC 20007

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
 3318 N. Columbus Street
 Arlington, VA 22207
 T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

STEAMBOAT ENGINEERING

AND DESIGN, INC
2740 ACRE LANE, STE. E
STEAMBOAT SPRINGS, CO 80487

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING

1717 15TH STREET
BOULDER, CO 80302

CIVIL ENGINEER

LANDMARK ENGINEERING

141 9TH STREET
PO BOX 774943
STEAMBOAT SPRINGS, CO 80477

LANDSCAPE ARCHITECT

GENERAL CONTRACTOR

PROJECT LOCATION

STEAMBOAT
BASECAMP

1901 CURVE PLAZA
STEAMBOAT SPRINGS, CO 80487

DRAWING TITLE

MATERIALS, SIGNAGE, & STRIPING PLAN

SEAL

DATE:

6/18/21

PN


CHECKED BY:

EG


PROJECT NO.

DRAWING NO:

C.400



1/12/2021 2:08:43 PM



- ## 2.0 PAINTING / STRIPING

- ### 3.0 SIGNAGE

- 4.0 LANDSCAPE (RE: LANDSCAPE PLANS)

- ASPHALT

PLAIN CONCRETE

PAVERS

GRAVEL

PROPOSED SIGN

CDOT NOTES:

1. IMPROVEMENTS SHOWN IN THE STATE HIGHWAY RIGHT-OF-WAY ARE PROPOSED IN COMPLIANCE WITH THE TERMS & CONDITIONS OF THE CDOT ACCESS PERMIT TO BE ISSUED AS PART OF THE SUBJECT DEVELOPMENT.
2. ALL MATERIALS, EQUIPMENT, INSTALLATION, AND CONSTRUCTION WITHIN THE STATE HIGHWAY RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE FOLLOWING STANDARD REFERENCES, AS APPLICABLE: CDOT MATERIALS MANUAL, CDOT CONSTRUCTION MANUAL, CDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION (2016 EDITION), CDOT STANDARD SPECIAL PROVISIONS (AS APPLICABLE TO THE PROJECT), CDOT STANDARD PLANS (M&S STANDARDS), WHERE THERE IS A DIRECT CONFLICT BETWEEN THESE PLANS AND THE SPECIFICATIONS, OR ANY APPLICABLE STANDARDS, THE MOST RESTRICTIVE STANDARD SHALL APPLY.

GENERAL NOTES:

1. THE SIZE, TYPE AND LOCATION OF ALL KNOWN UNDERGROUND UTILITIES ARE APPROXIMATE WHEN SHOWN ON THESE DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER TO VERIFY THE EXISTENCE OF ALL UNDERGROUND UTILITIES IN THE AREA OF THE WORK. BEFORE COMMENCING NEW CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL BE RESPONSIBLE FOR ALL UNKNOWN UNDERGROUND UTILITIES.
2. ALL PROJECT DATA IS ON VERTICAL DATUM: NGVD 88. SEE NOTES SHEET FOR BENCHMARK REFERENCES.
3. ELEVATIONS FOR IMPROVEMENTS THAT ARE CONTROLLED BY ADJACENT EXISTING FACILITIES (SUCH AS PR GUTTERS ALONG EXISTING ASPHALT) MAY REQUIRE ADJUSTMENT BASED ON ACTUAL CONDITIONS. COORDINATE WITH ENGINEER TO ENSURE A CONSISTENT SUE WITH SMOOTH TRANSITIONS WHERE NECESSARY.
4. SEE SOILS REPORT FOR PAVEMENT, SUBGRADE AND MATERIAL PREPARATION, DESIGN AND RECOMMENDATIONS.
5. ALL CURB SPOTS SHOWN ARE FLOWLINE ELEVATIONS, UNLESS NOTED OTHERWISE. ALL OTHER SPOTS ARE FINISHED GRADE ELEVATIONS.

EXISTING UNDERGROUND AND OVERHEAD PUBLIC AND PRIVATE UTILITIES AS SHOWN ARE INDICATED FOR INFORMATION PURPOSES ONLY. TO THE MAXIMUM AVAILABLE TO THE ENGINEER, THE ENGINEER DOES NOT GUARANTEE NOR IS RESPONSIBLE FOR THE ACCURACY OF SUCH INFORMATION. EXISTING UTILITY MAINS AND SERVICES MAY NOT BE STRAIGHT LINES OR AS INDICATED ON THE DRAWINGS. CONTRACTOR TO VERIFY EXISTING HORIZONTAL AND VERTICAL LOCATIONS PRIOR TO CONSTRUCTION.
7. ALL WATER AND SEWER CONSTRUCTION SHALL BE PER CITY OF STEAMBOAT SPRINGS UTILITIES STANDARD SPECIFICATIONS, LATEST EDITION, AS ADMINISTERED THROUGH THE STEAMBOAT II METROPOLITAN DISTRICT.
8. THE SCOPE REFLECTED ON THIS PLAN SHALL ONLY BE USED FOR ITEMS SPECIFIED AND DETAILED ON DRAWINGS PREPARED BY LANDMARK CONSULTANTS, INC. REFERENCES TO "BY OTHERS", "LANDSCAPE", "LANDSCAPE PLANS" AND/OR SIMILAR NOTATION ARE EXCLUDED FROM THIS PLAN. CONFLICT LANDSCAPE AND LANDMARK CONSULTANTS, INC. AND THE DESIGN TEAM DISCREPANCIES ARE DISCOVERED.

No.	Date	Description
SUBMISSIONS & REVISIONS		

OWNER

MAY REIGLER PROPERTIES

2201 WISCONSIN AVE NW
SUITE 200
WASHINGTON DC 20007

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
 3318 N. Columbus Street
 Arlington, VA 22207
 T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

STEAMBOAT ENGINEERING

AND DESIGN, INC
2740 ACRE LANE, STE. E
STEAMBOAT SPRINGS, CO 80487

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING

1717 15TH STREET
BOULDER, CO 80302

CIVIL ENGINEER

LANDMARK ENGINEERING

141 9TH STREET
PO BOX 774943
STEAMBOAT SPRINGS, CO 80477

LANDSCAPE ARCHITECT

GENERAL CONTRACTOR

PROJECT LOCATION

STEAMBOAT BASECAMP

1901 CURVE PLAZA
STEAMBOAT SPRINGS, CO 80487


DRAWING TITLE


OFFSITE
MATERIALS,
SIGNAGE, &
STRIPING PLAN

SEAL	DATE:
	6/18/21
	DRAWN BY:
	PN
	CHECKED BY:
	EG
	PROJECT NO:
	2387-004

DRAWING NO:

C.401





No.	Date	Description
-----	------	-------------

OWNER

ARCHITECT



M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDSCAPE ARCHITECT


SEAL	DATE: 6/18/21
	DRAWN BY: PN
	CHECKED BY: EG
	PROJECT NO: 2387-004

DRAWING NO:

C.700

[illegible]

[illegible]



1 DEMOLITION PLAN
SCALE: 1:10

DEMOLITION LEGEND	
----	DEMOLISH BUILDING ELEMENT & PREPARE FOR NEW CONSTRUCTION

APPROVAL STAMPS:

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/13/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

DEMOLITION PLAN

SEAL

DATE:

03/27/20

DRAWN BY:


CHECKED BY:

PROJECT NO:

DRAWING NO:

A1.3

3/12/2020 11:00:28 AM



1 GROUND LEVEL PLAN

SCALE: 1:10

APPROVAL STAMPS:

6	6/17/2021	Development Plan Submittal #5
5	4/19/2021	Development Plan Submittal #4
4	11/30/2020	Development Plan Submittal #3b
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

KL&A ENGINEERS & BUILDERS
1717 Washington Ave.
Golden, Colorado 80401
T. 303.384.9910

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING COMPANY
1717 15th Street
Boulder, CO 80302
T. 303.444.6038

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

CALCON CONSTRUCTORS, INC.
2270 W. Bates Ave.
Englewood, CO 80110
T.303.762.1554

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

**GROUND LEVEL
PLAN**

SEAL

DATE:

06/08/21

DRAWN BY:


CHECKED BY:

PROJECT NO:

DRAWING NO:

A 2.1

COPYRIGHT 2019



1 TYPICAL LEVEL PLAN
SCALE: 1:10

APPROVAL STAMPS:

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

KL&A ENGINEERS & BUILDERS
1717 Washington Ave.
Golden, Colorado 80401
T. 303.384.9910

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING COMPANY
1717 15th Street
Boulder, CO 80302
T. 303.444.6038

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

CALCON CONSTRUCTORS, INC.
2270 W. Bates Ave.
Englewood, CO 80110
T.303.762.1554

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

LEVELS 2-4 PLAN

SEAL

DATE:

06/08/21


DRAWN BY:

CHECKED BY:

PROJECT NO:

DRAWING NO:

A 2.2



1 FIFTH LEVEL PLAN
SCALE: 1:10

APPROVAL STAMPS:

5	6/17/2021	Developmet Plan Submittal #5
4	4/19/2021	Developmet Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

KL&A ENGINEERS & BUILDERS
1717 Washington Ave.
Golden, Colorado 80401
T. 303.384.9910

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING COMPANY
1717 15th Street
Boulder, CO 80302
T. 303.444.6038

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

CALCON CONSTRUCTORS, INC.
2270 W. Bates Ave.
Englewood, CO 80110
T.303.762.1554

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

FIFTH LEVEL PLAN

SEAL

DATE:

06/08/21

DRAWN BY:

CHECKED BY:






PROJECT NO:

DRAWING NO:

A 2.3



COPYRIGHT 2019



3/12/2020 11:00:28 AM

APPROVAL STAMPS:

[illegible]

4	6/17/2021	Development Plan Submittal #5
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description


SUBMISSIONS & REVISIONS

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT



KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

KL&A ENGINEERS & BUILDERS
1717 Washington Ave.
Golden, Colorado 80401
T. 303.384.9910

M.E.P. & F.P. ENGINEERS

BOULDER ENGINEERING COMPANY
1717 15th Street
Boulder, CO 80302
T. 303.444.6038

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

CALCON CONSTRUCTORS, INC.
2270 W. Bates Ave.
Englewood, CO 80110
T.303.762.1554

PROJECT LOCATION

Steamboat Basecamp

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

ENLARGED UNIT PLANS

SEAL	DATE:
	06/06/21
	DRAWN BY:
	CHECKED BY:
	PROJECT NO:

DRAWING NO:

A2.5



APPROVAL STAMPS:

[illegible]

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal

No.	Date	Description
-----	------	-------------

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT



KEVIN & ASAKO SPERRY ARCHITECTURE

3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

Steamboat Basecamp

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

EXISTING
NORTH & EAST
ELEVATIONS

SEAL

DATE:

03/27/20

DRAWN BY:

CHECKED BY:

PROJECT NO:

DRAWING NO:

A3.02



2 EXISTING WEST ELEVATION
SCALE: 1/10"



1 EXISTING SOUTH ELEVATION
SCALE: 1/10"

APPROVAL STAMPS:

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal

No.	Date	Description
-----	------	-------------

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K | A | S | A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION
**Steamboat
Basecamp**
1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

EXISTING
SOUTH & WEST
ELEVATIONS

SEAL	DATE: 03/27/20
	DRAWN BY:
	CHECKED BY:
	PROJECT NO:

DRAWING NO:
A3.01



2 WEST ELEVATION


SCALE: 1:10

MATERIAL LEGEND

- 01 CORRUGATED MTL. WALL PANEL
- 02 WOOD TEXTURED MTL. WALL PLANKS
- 03 GROUND FACE CMU. COLOR: DESATURATED BEIGE
- 04 SOLID COLOR MTL. WALL PLANKS
- 05 ASPHALT SHINGLE TO MATCH EXISTING
- 06 EXISTING ASPHALT SHINGLE TO REMAIN
- 07 EXISTING WOOD SIDING TO BE CLEANED & STAINED
- 08 EXISTING STONE WATER TABLE TO BE CLEANED & STAINED/PAINTED
- 09 EXISTING WOOD COLUMN & BEAM TO BE CLEANED & PAINTED
- 10 EXISTING WOOD FASCIA TO BE CLEANED & PAINTED
- 11 EXISTING WOOD SIDING TO BE RELOCATED, CLEANED & STAINED
- 12 EXISTING STONE WATER TABLE TO BE RELOCATED, CLEANED & STAINED
- 13 PTD. WOOD FASCIA
- 14 PTD. MTL. RAILING
- 15 PTD. MTL. TRIM
- 16 PTD. MTL. CANOPY
- 17 PTD. MTL. COPING

KEY NOTE LEGEND

- A NEW EXTERIOR LIGHT FIXTURES. REFER TO A.XX & A.XX FOR DETAILS
- B HATCHED WINDOWS INDICATE EXISTING TO REMAIN
- C GARAGE DOOR
- D STOREFRONT
- E WOOD PRIVACY FENCE
- F WALL MURAL



3 TRASH ENCLOSURE ELEVATIONS

SCALE: 1:10



1 SOUTH ELEVATION

SCALE: 1:10

APPROVAL STAMPS:

No.	Date	Description
3	6/17/2021	Development Plan Submittal
2	4/19/2021	Development Plan Submittal
1	3/27/2020	Development Plan Submittal

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K | A | S | A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

Steamboat Basecamp

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

PROPOSED SOUTH & WEST ELEVATIONS

SEAL

DATE:

04/16/21

DRAWN BY:

CHECKED BY:

PROJECT NO:

DRAWING NO:

A3.11



KEY NOTE LEGEND

A	NEW EXTERIOR LIGHT FIXTURES. REFER TO A XX & A.XX FOR DETAILS
B	HATCHED WINDOWS INDICATE EXISTING TO REMAIN
C	GARAGE DOOR
D	STOREFRONT
E	WOOD PRIVACY FENCE
F	WALL MURAL

[illegible]



1 PERSPECTIVE RENDERING
SCALE: N.T.S.

3/12/2020 11:00:28 AM

APPROVAL STAMPS:

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal #1
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGO DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

**PROPOSED
PERSPECTIVE
RENDERING**

SEAL

DATE:

03/27/20

DRAWN BY:

CHECKED BY:

PROJECT NO:

DRAWING NO:

A 4.1



1 PERSPECTIVE RENDERING
SCALE: N.T.S.

3/12/2020 11:00:28 AM

APPROVAL STAMPS:

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal #1
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A

KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

**PROPOSED
PERSPECTIVE
RENDERING**

SEAL	DATE: 03/27/20
	DRAWN BY:
	CHECKED BY:
	PROJECT NO:

DRAWING NO:

A 4.2



1 PERSPECTIVE RENDERING

SCALE: N.T.S.

APPROVAL STAMPS:

[illegible]

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT



KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

Steamboat Basecamp

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

PROPOSED
PERSPECTIVE
RENDERING

SEARCH

DATE:

03/27/20

DRAWN BY:

CHECKED BY

PROJECT NO:

DRAWING NO:

A 4.3



1 PERSPECTIVE RENDERING

SCALE: N.T.S.

APPROVAL STAMPS:

[illegible]

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT



KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGC DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

Steamboat Basecamp

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

PROPOSED
PERSPECTIVE
RENDERING

SEARCH

DATE:

03/27/20

DRAWN BY:

CHECKED BY

DRAWING NO:

A 4.4



1 PERSPECTIVE RENDERING
SCALE: N.T.S.

3/12/2020 11:00:28 AM

APPROVAL STAMPS:

5	6/17/2021	Development Plan Submittal #5
4	4/19/2021	Development Plan Submittal #4
3	10/14/2020	Development Plan Submittal #3
2	7/9/2020	Development Plan Submittal #2
1	3/27/2020	Development Plan Submittal
No.	Date	Description

SUBMISSIONS & REVISIONS

OWNER

May Riegler Properties
2201 Wisconsin Avenue NW Suite 200
Washington, DC 20007
PO Box 881330
Steamboat Springs, CO 80488

ARCHITECT

K A S A
KEVIN & ASAKO SPERRY ARCHITECTURE
3318 N. Columbus Street
Arlington, VA 22207
T.312.636.3248 / 312.636.4252
www.kasa-arch.com

STRUCTURAL ENGINEER

M.E.P. & F.P. ENGINEERS

CIVIL ENGINEER

LANDMARK CONSULTANTS, INC.
141 9th Street
PO Box 774943
Steamboat Springs, Colorado 80477
T.970.871.9494

LANDSCAPE ARCHITECT

MGO DESIGN, INC.
PO Box 773522
Steamboat Springs, Colorado 80477
T.970.879.7740

GENERAL CONTRACTOR

PROJECT LOCATION

**Steamboat
Basecamp**

1901 Curve Plaza
Steamboat Springs, CO

DRAWING TITLE

**PROPOSED
PERSPECTIVE
RENDERING**

SEAL

DATE:

03/27/20

DRAWN BY:

CHECKED BY:

PROJECT NO:

DRAWING NO:


A 4.5




LEGEND

existing


existing plants are per field observation - not survey




deciduous shade tree




evergreen tree



aspen




deciduous shrubs




ornamental tree


proposed




deciduous shade tree




evergreen tree



aspen



deciduous shrubs



ornamental tree



snow storage

NOTES

1. Site layout plan and snow storage calculations provided by Landmark Consultants Inc.
2. All proposed landscape plantings will be under an automatic irrigation system.
3. All landscape will be maintained in a professional manner to industry standard.
4. Owner or landscape architect to approve layout of all proposed work prior to installation.
5. Refer to grading and layout and materials plans for additional information on all proposed work.
6. This landscape plan is intended only as a City of Steamboat Springs planning submittal document. It does not contain the necessary information for construction.

PLANT LIST

TREES	proposed total 56 - 27 large deciduous, 16 evergreen, 13 aspen/ornamental		
# SYM	BOTANIC NAME	COMMON NAME	SIZE
27 dec	populus sp.	cottonwood	2.5' cal.
6 spr	picea pungens	colorado spruce	6'-7' ht.
8 spr	picea pungens	colorado spruce	8'-9' ht.
2 spr	picea pungens	colorado spruce	10' ht
6 asp	populus tremuloides	quaking aspen	2' cal.
7 orn	malus sp.	ornamental crabtree	2' cal.

SHRUBS 88 total - 40 in parking lot, 48 shrub for tree substitution

# SYM	BOTANIC NAME	COMMON NAME	SIZE
# shr	potentilla fruticosa	native yellow potentilla	5 gal.
# shr	prunus virginiana	native chokecherry	"
# shr	amelanchier alnifolia	saskatoon serviceberry	"
# shr	cornus stolonifera	colorado dogwood	"

*NOTE:

Final plant list will be determined at time of construction document preparation. All shrubs will be low water usage plants and be within Appendix A - recommended plant list - in the Community Development Code.

SNOW STORAGE CALCULATIONS

76,695 s.f.	TOTAL PAVED AREA
38,348 s.f.	50% snow storage requirement
28,761 s.f.	TOTAL REQUIRED (after 25% reduction for elevation)
540 s.f.	addition due 18 evergreen trees in storage areas
29,301 s.f.	TOTAL REQUIRED
32,478 s.f.	TOTAL AVAILABLE

LANDSCAPING STANDARDS TABLE - STUDY AREA A

Description	Landscape Area	CS Zone district Requirements	Required	Existing	Proposed	Evr Tree ex pro		Dec Tree ex pro		Orn Tree ex pro	
Parking Lot (p)	2,500 sf	1 tree/200sf + 4 shrubs/200sf	12/50*	4/10	8/40*	1	0	0	8	3	0
Frontage (f)	9,500 sf	Category EC - 1tree/200sf	48	21	24/3	11	8	0	8	10	7
Interior (i)	13,500 sf	Category EC3 - 1tree/500sf	27	3	24	0	8	0	11	3	6
Number of Required Trees/Planting Units			87								
Existing Trees to Remain				28							
3 shrubs=1 tree 27 existing in frontage=0 trees 48 proposed= int. 16 trees				0	16						

*shrubs required for parking lot landscape not a part of shrub for tree substitution


Total Planting Units

LANDSCAPING STANDARDS TABLE - STUDY AREA B

Description	Landscape Area	CS Zone district Requirements	Required	Existing	Proposed	Evr Tree ex pro		Dec Tree ex pro		Orn Tree ex pro	
Frontage (f)	15,450 sf	Category EC - 1tree/200sf	77	17	0	12		0	0	0	5
Interior (i)	48,700 sf	Category EC3 - 1tree/500sf	97	0	0	7	0	0	0	6	0
Number of Required Trees/Planting Units			174								
Existing Trees to Remain				17							

Total Proposed

0



date 4-9-2020
city submittal
rev. 7-14-2020
city submittal
rev. 4-20-21
city submittal
rev. 6-18-21
city submittal
rev. 6-23-21
city submittal

landscape plan

Steamboat Basecamp
Elk River Rd. and Shield Dr.
Steamboat Springs, Colorado




LANDSCAPE ARCHITECTURE
SITE DESIGN
WATER USE in LANDSCAPE
P.O. Box 773522
Steamboat Springs, CO 80477
(970) 879-7740

sheet #

L.1

6/18/2021 11:03:44 AM



PHOTOMETRIC SITE PLAN
1" = 30'-0"

DETAIL NOTES THIS SHEET


1. LIGHTING FIXTURE 'G' IS EXISTING TO REMAIN PARKING LOT LIGHT. FIXTURE NOT INDCLUDED IN LIGHTING FIXTURE SCHEDULE.
2. LIGHT FIXTURE 'H' IS EXISTING TO REMAIN SIGN LIGHT. FIXTURE NOT INDCLUDED IN LIGHTING FIXTURE SCHEDULE.

boulder
engineering
*plumbing, mechanical
and electrical*
1717 15th Street
Boulder, CO 80302
303.444.6038 phone
303.442.1172 fax
staff@boulderengineering.com

BASECAMP PHOTOMETRIC

2020 ARAPAHOE AVENUE
BOULDER, CO 80302

No.	Description	Date
1	Revision 1	Date 1



Issue	PERMIT SET
Date	06.18.2021
Project Number	20061
Drawn by	MOD
Checked by	EM

Sheet
Title:
PHOTOMETRIC
SITE PLAN

Sheet Number

MEP 1

