T	E KE	EYNOTES:	DETAIL / SHEET	RELATED DETAILS	SPEC. SECTION
.0	Ligh	ting			
	7.2	Double-Headed Pedestrian Light (F2)	Ref Electric		Ref Electric
	7.4	Catenary Down Light (F4)	Ref Electric		Ref Electric
	7.6	Art and Brand Wall Internal Cabinet Lights (F6)	Ref Electric		Ref Electric
	7.9	Catenary Attached Holiday Lights (F9)	Ref Electric		Ref Electric
	7.10	Round Bollard (F10)	Ref Electric		Ref Electric

SITE LIGHTING REFERENCE NOTES

- 1 Refer to L0-03 General Information Sheet for fixture list and lighting schedule (TYP).
- Reference Electrical Drawings for stair, escalator, and escalator canopy lighting, controls, power distribution, receptacle locations, and emergency lighting (TYP). Reference Structural Engineering drawings for catenary support information including pole and building anchors (TYP).
- Catenary poles are located between Art Wall and hotel wall. Contractor to allow for access to pole. See structural engineering drawings for details.


 Catenary pole to be located over and fastened to existing foundation structure, Contractor to verify exact locations with structural engineer. See mounting details in structural engineering drawings.

FROM GENERAL INFORMATION SHEET:

FIXTURE: LINEAR RGBW LED "GRAZER" TYPE FIXTURE WITH 20 DEGREE x 80 DEGREE BEAM SPREAD, ADJUSTABLE MOUNT, AND REMOTE POWER SOURCE, DIMMABLE, WET LISTED.	LUMASCAPE	S 13 DB 002 WITH 1,100 LUMEN OUTPUT OF INTERIOR OF INT		(1) FIXTURE PER CABINET SEGMENT, MOUNTED AT BOTTOM OF INTERIOR CABINET SPACE, APPROXIMATELY 4 INCHES FROM BACKER WALL. DATA INJECTORS, POWER SUPPLIES, AND LEADER CABLES AS REQUIRED. DMX CONTROLLER FOR	
DATA INJECTOR		LS6550	N/A	WALL CABINET INTERIOR	BOTH THE ART WALL AND BRAND WALL.
POWER SUPPLY		LSLED600W - 48V 09			INCHIDE WITH DENEE IS 4 ST VC 2 ST CARLS RETWISEN
LEADER CABLE		LS6426 - PS 050			INQUIRE WITH RENEE IF 1 FT VS 2 FT CABLE BETWEEN FIXTURES IS REQUIRED (WILL SPARE CALBE BE VISIBLE?)
DMX CONTROLLER		LS6950 - B			



NOTE: Refer to General Information Sheet L0-04 for General and Series Specific Notes, Legends, Abbreviations, Lists, Schedules, and Mockup details.





2305 Mount Werner Circle Steamboat Springs, CO 80487

1225 17th Street Suite 150 Denver, CO 80202 United States

Tel 970.871.9494

Tel 303.431.6100

Tel 303.595.8585 Fax 303.825.6823



DESIGNWORKSHOP 141 9th Street PO Box 774943

1390 Lawrence Street Suite 100 Steamboat Springs, CO 80477 Denver, CO 80204 Tel 303.623.5186



MARTIN/MARTIN CONSULTING ENGINEERS



12499 West Colfax Ave. Lakewood, CO 80215 United States

14143 Denver West Pkwy Suite 300 Golden, CO United States Tel 303.421.6655

- 2021.05.19 BP3: GOLDWALK - ISSUE FOR BID AND PERMIT

1 2021.06.25 BP3: GOLDWALK - BULLETIN 02 2 2021.07.01 BP3: GOLDWALK - BULLETIN 03 - PERMIT RESPONSES
3 2021.09.24 DEVELOPMENT PLAN MINOR MODIFICATION
4 2021.10.01 BP3: GOLDWALK - RFI-097
5 2021.10.13 DEVELOPMENT PLAN MAJOR MODIFICATION

Seal / Signature

NOT FOR CONSTRUCTION

Project Name

BP3 GOLDWALK PERMIT AND CONSTRUCTION

Project Number

003.7835.000

BP3: GOLDWALK - ISSUE FOR BID AND PERMIT

SITE LIGHTING PLAN

1B-L6-01